



CEWELD E DUR RU (Ni)

TYPE NiCrBSi based SMAW electrode filled with tungsten carbides for extreme wear resistant overlays.

APPLICATIONS The main applications are Hardfacing and rebuilding of stabilizers and other oilfield tools where

maximum protection is required. Also for augers, impellers, mixer plates in the brick and clay industry and on decanter screws in the food and chemical industry where corrosion resistance is needed. CEWELD E DUR RU (Ni) can be applied on all sorts of steels except on cast iron or Mn-steel. This alloy is the most wear resistant type in most Hardfacing applications. In case of very fine dust abrasion It might happen that the matrix will be washed out and looses the imbedded Tungsten

carbides, in this case another Hardfacing product should be considered..

PROPERTIES E DUR RU(Ni) is a coated flux-cored tube for electric welding, a newly designed hard-surfacing

product consisting of crushed tungsten carbide and a Ni-based alloy. Crushed cast carbide will guaranty a long life. Furthermore the Ni-based alloy provides an excellent corrosion resistance. E DUR RU (Ni) has excellent welding and wetting characteristics at very low currents. It is easy to use and inexperienced welders will have no difficulties to produce smooth deposits mainly without cracks. Multi-layer deposits are possible and worn parts can be rebuild without removing the old

material. E DUR RU (Ni) can be applied on all sorts of steels except on cast iron or Mn-steel.

CLASSIFICATION EN ISO 14700: E Ni20

SUITABLE FOR Scratchers, Mixers, Deep drilling, Bentonit mixers, Cement mixers, Stabilisers, Impellers, Augers

etc.

APPROVALS No Approvals Found

TYPICAL CHEMICAL

WELDING POSITIONS

ANALYSIS OF WELD METAL

ALL WELD MECHANICAL PROPERTIES

WSC 65

Heat	R _{P0,2}	Rm	A5	Hardness
Treatment	MPa	MPa	(%)	Vickers
As Welded /				Avg. 43
As Welded /				Avg. 2400

REDRYING TEMPERATURE Not required

GAS ACCORDING EN 14175





CEWELD E DUR RU (Ni)

E DUR RU (NI) 4,0 X 350MM	Type	KG/unit	EANCode
•	Can	2,5	8720663402783
		•	
E DUR RU (NI) 5,0 X 350MM	Туре	KG/unit	EANCode
•	Can	2,5	8720663402790

