

## **CEWELD AquaForce LC**

## **DECLARATION OF PERFORMANCE**



| <ol> <li>Unique identification code of<br/>the product-type:</li> </ol>                            | CEWELD AquaForce LC   |  |  |
|--|---|--|--|
| 2. Intended uses   | Filler metals and fluxes to be used for fusion welding of metallic structures or composite metal and concrete structures. |  |  |
| <ol> <li>Name and address of the<br/>manufacturer or his<br/>authorised representative:</li> </ol> | Certilas Nederland BV<br>Gloxinialaan 2, 6851 TG, The Netherlands   |  |  |
| 4. System of AVCP:   | System 2+   |  |  |
| 5. Harmonised Standard:<br>Notified Body:<br>ID number of notifed body:                            | EN 13479:2017<br>TÜV Rheinland industrie service GmbH<br>0035   |  |  |
| 6. Declared performance:   | Chemical composition meets the designated standard(s), typical mechanical properties as shown below:                      |  |  |

| Heat        | R <sub>P0,2</sub> | Rm  | A5  | Impact Energy (J) ISO-V |       |
|-------------|-------------------|-----|-----|-------------------------|-------|
| Treatment   | MPa               | MPa | (%) | 0°C                     | -20°C |
| As Welded / | 460               | 580 |     | 45                      | 35    |

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer dentified above. Signed for and on behalf of the manufacturer by:

Huissen, 22-04-2024 P.Gerritsen, CEO

Att ..

